Note that Weekly Course Count may also include Hourly courses if they occur in a room also used for credit hours

Note that Capacity Indicator of 'FCR' means that ISRS Facility records were used for room capacity. If no capacity was found, a default value of 99 is used. (See screen FC1001UG.)

0070 Bemidji SU 10/12/2012

20133

10/07/12 02:00 PM

Room Capacity	4,246*	*
Seats Available in 32-Hour Week	135,872	
Seats Used in One Week	51,248	k
Seat Usage Percent	38%	
Seat Usage Percent = (Seats_Used / Seats_Avail_32_hour_week) * 100		

Limits:

Own/Lease: O

Facility Type: 110, 210 Credit type: C, X

C=credit, H= hourly, X=display lines

when no course is held

This report excludes courses with no Bldg Code,

courses with no enrollment, courses not in session on thirtieth day, courses with no begin time.

Nbr Rooms Used	80
Rooms * 32 Hours	2,560
Hours Used in One Week	1,620
Hours Usage Percent	63%

Because several courses may be scheduled in the same room at the same time (either because one course ends and another begins within that hour, or because similar courses are offered together), when courses have the same begin/end date, enrollment is added together, else the MAX enrollment

Court is used
Course count:

562 (Distinct COU_IDs)

601 (Distinct COU_ID/Room

Course Count is count of courses held within a given room. If a courses is held in two rooms it is counted as two courses (from the room's point of view, each room holds one course).

Campus: 070

Note that because classes do not always start/end on the hour, there will be some overlap in both seats used and hours used; thus all percentages are approximate.

Main Report - College and Campus Totals

Campus Id	cap ind	сар	room	SEATS	pct seats	nbr rooms	Rooms	HOURS	Pct hours
			capacity *	used per	used of 32	used	* 32	used per	used of 32
			32 hours	week	hour basis		hours	week	hour basis
070	def 99	396	12,672	852	7%	4	128	36	28%
	FCR	3,850	123,200	50,396	41%	76	2,432	1,584	65%
Institution Total		4,246	135,872	51,248	38%	80	2,560	1,620	63%

** note - Rooms where capacity was not entered have been set to a capacity of 99. This will result is seat usage being LOWER.

note - Courses scheduled as 'block' will result in higher (incorrect) seat usage. By block, we mean such courses as Cosmetology where the same student is enrolled in multiple courses which are scheduled with one begin date, but actually

								var	y		
Campus	Bldg Code	Bldg Name	сар	room	SEATS	pct seats	nbr	Rooms	HOURS	Pct hours	unique
ld				capacity *	used per	used of	rooms	* 32	used per	used of	wkly crs
				32 hours	week	32 hour	used	hours	week	32 hour	cnt
						basis				basis	
070	AIRC	American Indian Resource Center	20	640	421	66%	1	32	27	84%	9

Note that Weekly Course Count may also include Hourly courses if they occur in a room also used for credit hours

Note that Capacity Indicator of 'FCR' means that ISRS Facility records were used for room capacity. If no capacity was found, a default value of 99 is used. (See screen FC1001UG.)

			courses i	f they occur in a room a	lso used f	or credit h	nours	foun	d, a defaul	t value of	99 is used	. (See sc	reen FC10	01UG.)
Campus Id	Bldg C	ode Bldg N	ame		сар	room capacity * 32 hours	SEA used w		pct seats used of 32 hour basis	nbr rooms used	Rooms * 32 hours	HOURS used per week		unique wkly crs cnt
	BG	Bangs	perg Hall		274	8,768	1,	646	19%	9	288	75	26%	29
	BN	Bridge	man Hall		482	15,424	3,	675	24%	11	352	153	43%	44
	D	Deputy	Hall		28	896		213	24%	1	32	14	44%	4
	DH	Decke	Hall		350	11,200	4,	591	41%	7	224	163	73%	48
	EA	Bensei	n Hall		320	10,240	3,	130	31%	5	160	110	69%	34
	GC	Gillett	Center		46	1,472		274	19%	2	64	14	22%	7
	HS	Hagg-S	Sauer Hall		1,653	52,896	22,	929	43%	22	704	636	90%	219
	PE		al Education	n	110	3,520	2,	,063	59%	3	96	70		
	<u>s</u>	Sattga			898	28,736	11,	944	42%	16	512	339		
	SN	Sanfor	d Hall		65	2,080		362	17%	3	96	19		
		us Total			4,246	135,872		248	38%	80	2,560	1,620		
Institution	Total				4,246	135,872	51,	248	38%	80	2,560	1,620	63%	601
Cam Fac	Bldg	Bldg Nam	e Room Nbr	Room Name	Fac lo	cap ind	Week	сар	room	SEATS	Pct seats	nbr R	oom HOU	IR Pct
pus Type	Code						Cours	·	capacity	used per	used of	rooms	s * S use	d hours
Id							Count		* 32	week		used	32 pe	
									hours		basis	l In	ours we	ek 32 hour basis
070 110	0 AIRC	American	00128	no name	11003499	FCR	g	20	640	421	66%	1	32 :	27 84%
070	All C	Indian	Bldg Tota		11000100			20		421	66%	1		27 84%
	BG	Bangsberg	00101	Office	11001004	FCR	1	20		6		1	32	1 3%
	20	Hall	00118	ITV Classroom	11001021	FCR		38		20		1	32	
			00207	Classroom	11001041	FCR		31		304		1		
			00209	Classroom	11001044	FCR	3	40		189	15%	1	32	
			00212	Classroom	11001046	FCR	4	36		127	11%	1	32	
			00230	ITV Classroom	11001064	FCR	2	40	1,280	115	9%	1	32	7 22%
			Bldg Tota	al				187	5,984	761	13%	6	192	10 21%
	BN	Bridgeman	00100	no name	11000570	FCR	9	70	2,240	896	40%	1	32	24 75%
		Hall	00201	Classroom	11000592	def 99	5	99	3,168	516	16%	1	32	20 63%
			00301	no name	11003611	FCR	4	40	1,280	250	20%	1	32	10 31%
			Bldg Tota	al				209	6,688	1,662	25%	3	96	54 56%
	D	Deputy Hall	00251	Classroom	11000090	FCR	4	28	896	213	24%	1	32	12 38% 7 22% 11 34% 7 22% 40 21% 24 75% 20 63% 10 31% 54 56% 14 44%
			Bldg Tota	al				28	896	213	24%	1	32	14 44%
	DH	Decker Hall	00111	Class Rm	11001601	FCR	6	50	1,600	469	29%	1	32	22 69%
			00113	Classroom	11001603	FCR	6	50	1,600	591	37%	1	32	20 63%
			00114	Class Rm	11001604	FCR	7	50	1,600	609	38%	1	32	24 75%
			00115	Class Rm	11001605	FCR	6	50	1,600	583	36%	1	32	20 63%
			00116	Class Rm	11001606	FCR		50	1,600	758	47%	1	32	25 78%
			00117	Class Rm	11001607	FCR	8	60	1,920	901	47%	1	32	27 84%

Note that Weekly Course Count may also include Hourly courses if they occur in a room also used for credit hours

Note that Capacity Indicator of 'FCR' means that ISRS Facility records were used for room capacity. If no capacity was found, a default value of 99 is used. (See screen FC1001UG.)

							found, a default value of 99 is used. (See screen FC1001UG.)									
Cam pus Id	Fac Type	Bldg Code	_	Room Nbr	Room Name	Fac Id	cap ind	Week ly Cours e Count	сар	room capacity * 32 hours	SEATS used per week	Pct seats used of 32 hour basis	nbr rooms used	Room s * 32 hours	HOUR S used per week	Pct hours used of 32 hour basis
				0019B	Classroom	11001578	FCR] 8	I 40	1,280	680	53%	1	32	25	78%
				Bldg Tota					350	11,200	4,591	41%	7	224	163	73%
		EA	Bensen Hall	00115	Classroom	11000333	FCR	10	125	4,000	1,401	35%	1	32	33	103%
				00352	Classroom	11000393	FCR	7	40	1,280	315	25%	1	32	17	53%
				00404	Science-math Classroor	11000396	FCR	3	35	1,120	324	29%	1	32	12	38%
				00405	Reading Classroom	11000397	FCR	9	64	2,048	600	29%	1	32	29	91%
				00413	Classroom	11000404	FCR	5	56	1,792	490	27%	1	32	19	59%
				Bldg Tota	I				320	10,240	3,130	31%	5	160	110	69%
		GC	Gillett Center	00140	no name	11001832	FCR	4	20	640	134	21%	1	32	7	22%
				00141	no name	11000688	FCR	3	26	832	140	17%	1	32	7	22%
				Bldg Tota	I				46	1,472	274	19%	2	64	14	22%
		HS	Hagg-Sauer	00100	Aud	11000819	FCR	16	500	16,000	3,463	22%	1	32	21	66%
			Hall	00102	Classroom	11000820	FCR	12	104	3,328	2,574	77%	1	32	42	131%
				00103	Classroom	11000821	FCR	16	60	1,920	1,428	74%	1	32	52	163%
				00105	Classroom	11000823	FCR	9	50	1,600	714	45%	1	32	31	97%
				00107	Classroom	11000825	FCR		120	3,840	2,121	55%	1	32	26	81%
				00112	Classroom	11000828	FCR	11	120	3,840	2,390	62%	1	32	39	122%
				00113	Classroom	11000829	FCR		60	1,920	888	46%	1	32	33	103%
				00214	Classroom	11000845	FCR		45	1,440	722	50%	1	32	31	97%
				00228	Classroom	11000859	FCR		50	1,600	708	44%	1	32	23	72%
				00229	Classroom	11000860	FCR		45	1,440	485	34%	1	32	26	81%
				00230	Classroom	11000861	FCR		45	1,440	906	63%	1	32	28	88%
				00231	Classroom	11000862	FCR		40	1,280	713	56%	1	32	26	81%
				00233	Classroom	11000864	FCR		40	1,280	844	66%	1	32	29	91%
				00245	Classroom	11000876	FCR		45	1,440	1,195	83%	1	32	42	131%
				00247	Classroom	11000878	FCR		40	1,280	984	77%	1	32	39	122%
				00249	Classroom	11000879	FCR		54	1,728	847	49%	1	32	37	116%
				00355	Classroom	11001860	FCR		23	736	44	6%	1	32	8	25%
				0248A	Classroom	11000983	FCR	12	55	1,760	1,054	60%	1	32	39	122%
				Bldg Tota		11001850	FCR		1,496	47,872	22,080	46%	18	576	572	99%
		PE	Physical Education	00230	Lecture	11001849	FCR		30	960	328	34%	1	32	22	69%
				00231	Lecture		FCR		50	1,600	387	24%	1	32	15	47%
				_	Human Performance La	11001831	TON		30	960	1,348	140%	1	32	33	103%
			Sattaget Hell	Bldg Tota 00203	Lecture Classroom	11003794	FCR	17	110 50	3,520	2,063 930	59%	1	96	70 38	73%
		3	Sattgast Hall	00203		11003794	FCR		50	1,600	930	58% 58%	1	32	38	116%
				00205	Lecture Lecture Hall	11003796	FCR		190	6,080	3,709	61%	1 1	32	38	119%
				00208	Lecture Hall Lecture Classroom	11003730	FCR		80	2,560	2,004	78%	1	32	35	109%
				00212	Nurses Classroom	11003852	FCR		36	1,152		31%	1	32	14	44%
				00220	1141363 01833100111				30	1,132	300	J1 /0	- 1	52	14	TT /0

Note that Weekly Course Count may also include Hourly courses if they occur in a room also used for credit hours.

Note that Capacity Indicator of 'FCR' means that ISRS Facility records were used for room capacity. If no capacity was found, a default value of 99 is used. (See screen FC1001UG.)

			courses if	f they occur in a room a	lso used fo	r credit h	ours	found	, a defaul	t value of 9	99 is used.	(See	screen	FC1001	UG.)
Fac	Bldg	Bldg Name	Room Nbr	Room Name	Fac Id	cap ind	Week ly	сар	room	SEATS	Pct seats	nbr	Room	HOUR	P
Туре	Code					C	Cours		capacity	used per		rooms		S used	hou
						C	Count		* 32	week	32 hour	used	32	per	used
									hours		basis		hours	week	32 hou
			00248	Multi Purpose Classroor	11003802	FCR	4	70	2,240	609	27%	1	32	15	47%
			Bldg Tota					476	15,232	8,533	56%	6	192	177	92%
	SN	Sanford Hall	00007	Classroom	11000216	FCR	2	15	480	74	15%	1	32	4	13%
	SIN	Samoru Hall	00007	Classroom	11000234	FCR		20	640	157	25%	1	32	10	31%
			00022	Classroom	11000259	FCR		30	960	131	14%	1	32	5	16%
			Bldg Tota					65	2,080	362	17%	3	96	19	20%
	Camp	us Total	Didg Tota	11				3,307	105,824	44,090	42%		1,760	1,260	72%
210	BG		00112	Classroom/band Rehers	11001015	FCR	7	40	·						53%
210	ВС	Bangsberg Hall			11001013	FCR			1,280	380	30%	1	32	17	
			00119	Itv Classrom	11001022	FCR		32	1,024	465	45%	1	32	14	44%
			00218	Piano Classroom	11001032	ITOR		15	480	40	320/	1	32	4	13%
		Duide	Bldg Tota		11003532	FCR	1	87	2,784	885	32%	3	96	35	36%
	BN	Bridgeman Hall	00119	no name				30	960	248	26%	1	32	16	50%
		i idii	00128	Low Temp Processing L		FCR		26	832	120	14%	1	32	8	25%
			00131	High Temp Processing	11003535	FCR		28	896	180	20%	1	32	12	38%
			00132	Electronics Lab	11003536	_	1	26	832	60	7%	1	32	4	13%
			00133	Material Testing Lab	11003537	FCR		7	224	180	80%	1	32	12	38%
			00214	CAD/CAM Lab	11003605	FCR		33	1,056	615	58%	1	32	25	78%
			00218	Computer Lab	11003546	FCR		24	768	494	64%	1	32	18	56%
			00225	Office	11000610	def 99	1	99	3,168	116	4%	1	32	4	13%
			Bldg Tota			_		273	8,736	2,013	23%	8	256	99	39%
	HS	Hagg-Sauer	00104	Computer Lab/teaching		FCR		62	1,984	267	13%	1	32	18	56%
		Hall	00109	Computer Lab/teaching	11000827	FCR_		30	960	218	23%	1	32	11	34%
			0111A	Classroom	11000979	FCR	6	25	800	192	24%	1	32	21	66%
			0111B	Classroom	11000980	FCR	5	40	1,280	172	13%	1	32	14	44%
			Bldg Tota	al .		_		157	5,024	849	17%	4	128	64	50%
	S	Sattgast Hall	00148	Aquatic Lab	11003801	FCR	8	28	896	354	40%	1	32	20	63%
			00214	Mamology Lab	11003845	FCR	4	24	768	110	14%	1	32	7	22%
			00222	Zoology Lab	11003857	FCR		24	768	200	26%	1	32	11	34%
			00226	Biology Lab	11003856	FCR	24	40	1,280	1,128	88%	1	32	48	150%
			00233	Biology Lab	11003860	def 99	2	99	3,168	37	1%	1	32	5	16%
			00301	Intro Lab	11000513	FCR	7	24	768	382	50%	1	32	14	44%
			00307	Intro Lab	11000516	FCR	7	24	768	368	48%	1	32	17	53%
			00367	Biochem Lab	11003865	def 99	3	99	3,168	183	6%	1	32	7	22%
			00370	Chemistry Lab	11003873	FCR	20	32	1,024	487	48%	1	32	25	78%
			00382	Micro Biology Lab	11003870	FCR	4	28	896	162	18%	1	32	8	25%
			Bldg Tota	al		_		422	13,504	3,411	25%	10	320	162	51%
	Camp	us Total						939	30,048	7,158	24%	25	800	360	45%
	Γotal							4,246	135,872	51,248	38%	80	2,560	1,620	63%